



LOOK TO PSI
Performance • Service • Integrity

Pad-A-Lap Press Model #380

Save time and reduce reworks with PSI's Pad-A-Lap Press. This space saving air press, safely and consistently secures fining and base pads without wrinkling. Hand applying pads is time consuming and sometimes difficult due to the different pad backings. If not applied correctly, a wrinkled pad can cause aberrations that increase spoilage rates. The Pad-A-Lap Press's soft, conforming urethane rubber plug insures a proper wrinkle free pad application in only 15 seconds.



Features & Benefits

- Saves time and money by consistently securing pads in only 15 seconds.
- Soft urethane rubber plug conforms any pad to any lap eliminating aberrations caused by pad wrinkles.
- Dual hand actuation buttons for operator safety meet OSHA Standards.
- Easy to maintain with quick connect airline fittings and easy access water trap for quick draining.
- Sturdy 3/8", 5 gauge stainless steel housing with adjustable leveling feet for long life and trouble free service.
- Field proven and reliable with high quality air valves, controls and air cylinder.

Specifications:

Housing:	15 gauge stainless steel
Base:	3/8" stainless steel
Feet:	adjustable leveling
Air Supply:	80 psi minimum
Actuation:	dual hand safety buttons
Cycle Time:	15 seconds
Weight:	66 lbs.
Dimensions:	16" H x 15" W x 13" D

To Order Call 800-237-8154 or Fax 800-330-3800



PRACTICAL SYSTEMS INC.

11617 Prospect Road • Odessa, FL 33556
(727) 376-7900 • Fax (727) 372-1900
(800) 237-8154 • Fax (800) 330-3800
www.LookToPSI.com



LOOK TO PSI
Performance • Service • Integrity

Pad-A-Lap Press Model #380

Save time and reduce reworks with PSI's Pad-A-Lap Press. This space saving air press, safely and consistently secures fining and base pads without wrinkling. Hand applying pads is time consuming and sometimes difficult due to the different pad backings. If not applied correctly, a wrinkled pad can cause aberrations that increase spoilage rates. The Pad-A-Lap Press's soft, conforming urethane rubber plug insures a proper wrinkle free pad application in only 15 seconds.



Features & Benefits

- Saves time and money by consistently securing pads in only 15 seconds.
- Soft urethane rubber plug conforms any pad to any lap eliminating aberrations caused by pad wrinkles.
- Dual hand actuation buttons for operator safety meet OSHA Standards.
- Easy to maintain with quick connect airline fittings and easy access water trap for quick draining.
- Sturdy 3/8", 5 gauge stainless steel housing with adjustable leveling feet for long life and trouble free service.
- Field proven and reliable with high quality air valves, controls and air cylinder.

Specifications:

Housing:	15 gauge stainless steel
Base:	3/8" stainless steel
Feet:	adjustable leveling
Air Supply:	80 psi minimum
Actuation:	dual hand safety buttons
Cycle Time:	15 seconds
Weight:	66 lbs.
Dimensions:	16" H x 15" W x 13" D

To Order Call 800-237-8154 or Fax 800-330-3800



PRACTICAL SYSTEMS INC.

11617 Prospect Road • Odessa, FL 33556
(727) 376-7900 • Fax (727) 372-1900
(800) 237-8154 • Fax (800) 330-3800
www.LookToPSI.com



LOOK TO PSI
Performance • Service • Integrity


Pad-A-Lap Press Model #380

Easy Maintenance

- Quick connect airline fittings.
- Easy access water trap for quick draining

Safety Dual Hand Actuating Buttons

- Operator depresses both buttons for operation. Releasing one or both buttons returns cylinder to up position.
- Meets OSHA Standards



Attractive, Sturdy & Durable

- 3/8" stainless steel base with adjustable leveling feet.
- 15 gauge stainless steel housing.

Fast Wrinkle Free Application

- Soft urethane rubber ram plug conforms to lap tool to insure a proper wrinkle-free pad application.

Reliable

- Field proven.
- High quality air valves, controls and air cylinder.

To Order Call 800-237-8154 or Fax 800-330-3800



PRACTICAL SYSTEMS INC.

11617 Prospect Road • Odessa, FL 33556
(727) 376-7900 • Fax (727) 372-1900
(800) 237-8154 • Fax (800) 330-3800
www.LookToPSI.com



LOOK TO PSI
Performance • Service • Integrity


Pad-A-Lap Press Model #380

Easy Maintenance

- Quick connect airline fittings.
- Easy access water trap for quick draining

Safety Dual Hand Actuating Buttons

- Operator depresses both buttons for operation. Releasing one or both buttons returns cylinder to up position.
- Meets OSHA Standards



Attractive, Sturdy & Durable

- 3/8" stainless steel base with adjustable leveling feet.
- 15 gauge stainless steel housing.

Fast Wrinkle Free Application

- Soft urethane rubber ram plug conforms to lap tool to insure a proper wrinkle-free pad application.

Reliable

- Field proven.
- High quality air valves, controls and air cylinder.

To Order Call 800-237-8154 or Fax 800-330-3800



PRACTICAL SYSTEMS INC.

11617 Prospect Road • Odessa, FL 33556
(727) 376-7900 • Fax (727) 372-1900
(800) 237-8154 • Fax (800) 330-3800
www.LookToPSI.com